


Section 5

Figures

CDM



May 29, 2007

Legend


- Parcel Boundary
- B-Sand IRZ Bioremediation Monitoring Well
- C-Sand IRZ Bioremediation Monitoring Well
- Montrose Monitoring Well

- ◆ B-Sand Monitoring Well
- ◆ C-Sand Monitoring Well
- ◆ Gage Monitoring Well
- ▲ B-Sand Observation Well
- ▲ C-Sand Observation Well

N

CDM

Figure 1
Boeing Realty Corporation
Former C-6 Facility
Well Location Map
(March 2007)



Notes:

1. All groundwater elevations in feet mean sea level (ft MSL).
2. (*) Groundwater elevation values not used in contouring
3. (**) Groundwater elevations at XMW-09 and XMW-19 were measured on March 12, 2007 and were not included in the contouring.

200 0 200 400
Feet

May 29, 2007

Legend

- Parcel Boundary
- Groundwater Elevation Contour (B-Sand)
- Inferred Groundwater Elevation Contour (B-Sand)

- B-Sand IRZ Bioremediation Monitoring Well
- ◆ Montrose Monitoring Well
- ◆ B-Sand Monitoring Well
- ▲ B-Sand Observation Well

CDM

Figure 2
Boeing Realty Corporation
Former C-6 Facility
B-Sand Groundwater Elevations
(March 2007)





Figure 3
Boeing Realty Corporation
Former C-6 Facility
C-Sand Groundwater Elevations
(March 2007)




May 29, 2007

CDM

Legend

- Parcel Boundary
- Groundwater Elevation (Gage)
- Gage Monitoring Well
- Inferred Groundwater Elevation (Gage)

Figure 4
Boeing Realty Corporation
Former C-6 Facility
Gage Aquifer Groundwater Elevations
(March 2007)



May 29, 2007

Legend


- TCE Isoconcentration (B-Sand) in ($\mu\text{g/L}$)
[Dashed where approximate]
- 10 $\mu\text{g/L}$
- 100 $\mu\text{g/L}$
- 1,000 $\mu\text{g/L}$
- 5,000 $\mu\text{g/L}$
- 10,000 $\mu\text{g/L}$

- ◆ B-Sand Monitoring Well
- Montrose Monitoring Well
- B-Sand IRZ Bioremediation Monitoring Well (Concurrent well data from WDR sampling)
- ▲ B-Sand Observation Well

NOTES:

1. Isoconcentration Contours for TCE have been generated from wells sampled during this event and compared with 2002 isoconcentration contours (Haley & Aldrich, 2002) and 2005 isoconcentration contours (Rubicon, May 2005) and 2006 isoconcentration contours (CDM, March 2006).
2. (*) TCE concentrations not used in contouring

Figure 5
Boeing Realty Corporation
Former C-6 Facility
Distribution of TCE in
B-Sand Groundwater
(March 2007)



May 29, 2007

Legend


- 1,1-DCE Isoconcentration (B-Sand) in $\mu\text{g/L}$ [Dashed where approximate]
- 10 $\mu\text{g/L}$
- 100 $\mu\text{g/L}$
- 1,000 $\mu\text{g/L}$
- 5,000 $\mu\text{g/L}$

- ◆ B-Sand Monitoring Well
- Montrose Monitoring Well
- B-Sand IRZ Bioremediation Monitoring Well (Concurrent well data from WDR sampling)
- ▲ B-Sand Observation Well

NOTES:

- Isoconcentration Contours for 1,1-DCE have been generated from wells sampled during this event and compared with 2002 isoconcentration contours (Haley & Aldrich, 2002) and 2005 isoconcentration contours (Rubicon, May 2005) and 2006 isoconcentration contours (CDM, March 2006).
- ND - Not detected above the laboratory reporting limit

Figure 6
Boeing Realty Corporation
Former C-6 Facility
Distribution of 1,1-DCE in
B-Sand Groundwater
(March 2007)




May 29, 2007

Legend

- 100° - TCE Isoconcentration (C-Sand) in ($\mu\text{g}/\text{L}$) [Dashed where approximate]
- 10 $\mu\text{g}/\text{L}$
- 100 $\mu\text{g}/\text{L}$
- 1,000 $\mu\text{g}/\text{L}$
- 5,000 $\mu\text{g}/\text{L}$

- ◆ C-Sand Monitoring Well
 - C-Sand IRZ Bioremediation Monitoring Well (Concurrent well data from WDR sampling)
 - ▲ C-Sand Observation Well
- NOTES:**
1. Isoconcentration Contours for TCE have been generated from wells sampled during this event and compared with 2002 isoconcentrations contours (Haley & Aldrich, 2002) and 2005 isoconcentration contours (Rubicon, May 2005) and 2006 isoconcentration contours (CDM, March 2006).
 2. ND - Not detected above the laboratory reporting limit

Figure 7
Boeing Realty Corporation
Former C-6 Facility
Distribution of TCE in
C-Sand Groundwater
(March 2007)



May 29, 2007

Legend

- 100⁺ — 1,1-DCE Isoconcentration (C-Sand) in ($\mu\text{g}/\text{L}$) [Dashed where approximate]
- 10 $\mu\text{g}/\text{L}$
- 100 $\mu\text{g}/\text{L}$
- 1,000 $\mu\text{g}/\text{L}$
- 5,000 $\mu\text{g}/\text{L}$
- 10,000 $\mu\text{g}/\text{L}$

- ◆ C-Sand Monitoring Well
 - C-Sand IRZ Bioremediation Monitoring Well (Concurrent well data from WDR sampling)
 - ▲ C-Sand Observation Well
- NOTES:**
1. Isoconcentration Contours for 1,1-DCE have been generated from wells sampled during this event and compared with 2002 isoconcentrations contours (Haley & Aldrich, 2002) and 2005 isoconcentration contours (Rubicon, May 2005) and 2006 isoconcentration contours (CDM, March 2006).
 2. ND - Not detected above the laboratory reporting limit



Figure 8
Boeing Realty Corporation
Former C-6 Facility
Distribution of 1,1-DCE in
C-Sand Groundwater
(March 2007)